

L Number	Hits	Search Text	DB	Time stamp
1	1	("6397212").PN.	USPAT; EPO; JPO	2004/06/17 12:09
-	22	search with drawing with part with number	USPAT; US-PGPUB; EPO; JPO	2004/05/25 16:22
-	2176	(blueprint "blue print" drawing) with database	USPAT; US-PGPUB; EPO; JPO	2004/05/21 11:15
-	235	(blueprint "blue print" drawing) with (database "data store" server) and search with (blueprint "blue print" drawing)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 11:21
-	74	(blueprint "blue print" drawing) with (database "data store" server) and search with (blueprint "blue print" drawing) with part with (number id identification)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 13:22
-	15	((blueprint drawing) with (data\$base data\$store repository server) and search with (blueprint drawing) with part with (number id identification)) and (product generator system) with (number id identification)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 11:44
-	63	((blueprint "blue print" drawing) with (database "data store" server) and search with (blueprint "blue print" drawing) with part with (number id identification)) not (search with drawing with part with number) not14	USPAT; US-PGPUB; EPO; JPO	2004/05/21 13:15
-	16	(blueprint drawing) with (data\$base data\$store server) and search with (blueprint drawing) with part with (number id identification)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 13:25
-	1	generator with (identification id identify name type) and (drawing blue\$print) with part with generator with (search query get) with (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 14:17
-	260	generator with (identification id identify name type) and (drawing blue\$print) with part with generator	USPAT; US-PGPUB; EPO; JPO	2004/05/21 14:21
-	1	generator with (identification id identify name type) and (drawing blue\$print) with part with generator and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/05/21 14:21
-	260	generator with (identification id identify name type) and (drawing blue\$print) with part with generator 709/\$.ccls/	USPAT; US-PGPUB; EPO; JPO	2004/05/21 14:27
-	2	generator with (identification id identify name type) and (drawing blue\$print) with part with generator and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/05/21 14:25
-	34	generator with (identification id identify name type) same (drawing blue\$print) with part with (number identification id name type)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 14:55
-	1	generator with (identification id identify name type) and (drawing blue\$print) with part with generator same data\$base	USPAT; US-PGPUB; EPO; JPO	2004/05/21 14:52
-	6	product with database same product with (id identifier name type) same part with (id identifier name) same (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 16:08
-	84	(drawing blue\$print) with data\$base same (maintenance maintain)	USPAT; US-PGPUB; EPO; JPO	2004/05/21 16:10
-	32	(drawing blue\$print) with data\$base same (maintenance maintain) and (707/\$.ccls. 709/\$.ccls. 705/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/05/24 11:32
-	9	part with (name id identificaiton) with search with (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/24 12:38
-	684	part with (name id identificaiton) with (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/24 12:39
-	24	part with (name id identificaiton) with (drawing blue\$print) with (get\$4 search\$4 find\$4 locat\$4)	USPAT; US-PGPUB; EPO; JPO	2004/05/24 12:40

-	15	part with (name id identificaiton) with (drawing blue\$print) with (get\$4 search\$4 find\$4 locat\$4) not (part with (name id identificaiton) with search with (drawing blue\$print))	USPAT; US-PGPUB; EPO; JPO	2004/05/24 12:49
-	688	(drawing blue\$print) with (search\$4 locat\$4 find\$4 get\$4) and (707/\$.ccls. 709/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/05/24 12:54
-	70	(drawing blue\$print) with (search\$4 locat\$4 find\$4 get\$4) with data\$base and (707/\$.ccls. 709/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/05/24 12:55
-	69	(drawing blue\$print) with (search\$4 locat\$4 find\$4 get\$4) with data\$base and (707/\$.ccls. 709/\$.ccls.) not (part with (name id identificaiton) with search with (drawing blue\$print) not (part with (name id identificaiton) with (drawing blue\$print) with (get\$4 search\$4 find\$4 locat\$4)))	USPAT; US-PGPUB; EPO; JPO	2004/05/24 13:33
-	7	("4862376" "4891785" "5033014" "5625798" "5740425" "5864482" "6088625").PN.	USPAT	2004/05/24 13:04
-	683	(drawing blue\$print) near3 database	USPAT; US-PGPUB; EPO; JPO	2004/05/24 16:26
-	10	(drawing blue\$print) near3 database same identify with (drawing record blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/24 16:49
-	28	(drawing blue\$print) near3 database same search with database	USPAT; US-PGPUB; EPO; JPO	2004/05/24 16:49
-	22	(drawing blue\$print) with data\$base with search with (ID identity name type)	USPAT; US-PGPUB; EPO; JPO	2004/05/25 09:31
-	267	data\$base with product with (id name identif\$6 number) same part with (name id number identif\$6)	USPAT; US-PGPUB; EPO; JPO	2004/05/25 14:47
-	63	data\$base with product with (id name identif\$6 number) same part with (name id number identif\$6) and search with part	USPAT; US-PGPUB; EPO; JPO	2004/05/25 15:46
-	37	product.ti. and search.ti.	USPAT; US-PGPUB; EPO; JPO	2004/05/25 15:59
-	1	product near2 (name type id) same search with (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/25 16:29
-	60	generator same database same (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/25 16:31
-	8	generator same database same (drawing blue\$print) same search	USPAT; US-PGPUB; EPO; JPO	2004/05/25 16:34
-	22	part near2 (name id identif\$6 number) same database same (drawing blue\$print) same search	USPAT; US-PGPUB; EPO; JPO	2004/05/25 16:36
-	103	database with search with (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/25 17:00
-	11	database with search with (drawing blue\$print) same part with (name number id identification identify)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 09:14
-	28	search with drawing with part with (name id number identif\$7)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 11:25
-	9	search with drawing with part with name	USPAT; US-PGPUB; EPO; JPO	2004/05/26 11:33
-	1632	search with type same name	USPAT; US-PGPUB; EPO; JPO	2004/05/26 11:33

-	490	search with type same name same database	USPAT; US-PGPUB; EPO; JPO	2004/05/26 11:34
-	300	search with type with name same database	USPAT; US-PGPUB; EPO; JPO	2004/05/26 11:34
-	184	search with type with name with database	USPAT; US-PGPUB; EPO; JPO	2004/05/26 11:34
-	5	search with type with name with database with part	USPAT; US-PGPUB; EPO; JPO	2004/05/26 11:35
-	0	(product model) same search with (product service) with catalog	USPAT; US-PGPUB; EPO; JPO	2004/05/26 12:59
-	44	search with database with part with model	USPAT; US-PGPUB; EPO; JPO	2004/05/26 13:00
-	5	search with database with part with model with (name number id)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 13:43
-	16	"part name" with "model number"	USPAT; US-PGPUB; EPO; JPO	2004/05/26 14:31
-	23	search with database same part with model with (name number id)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 13:43
-	18	(search with database same part with model with (name number id)) not ("part name" with "model number") not (search with database with part with model with (name number id))	USPAT; US-PGPUB; EPO; JPO	2004/05/26 14:44
-	14	part near2 name with (model type no type number) with database with search	USPAT; US-PGPUB; EPO; JPO	2004/05/26 15:19
-	7	(drawing cad blue\$print) with database same search with name with (number no item type model part id)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 15:35
-	1386	707/5.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/05/26 15:35
-	30	707/5.ccls. and (drawing cad blue\$print) with database	USPAT; US-PGPUB; EPO; JPO	2004/05/26 15:44
-	755	generator same air same water same hydrogen	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:03
-	239	generator same air same water same hydrogen same cool\$6	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:03
-	53	generator same air with water with hydrogen same cool\$6	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:04
-	44	generator same air with water with hydrogen with cool\$6	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:04
-	29	generator with air with water with hydrogen with cool\$6	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:19
-	6	search with data\$base with (drawing blue\$print) same part with device	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:22
-	9	equipment with maintenance with database with (drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:49

	9	database with search with (drawings blue\$print) with (model type product device) with (part section view)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:50
	9	database with search with (drawings blue\$print) with (model type product device) with (part section angle view)	USPAT; US-PGPUB; EPO; JPO	2004/05/26 16:50
	9	database with search with (drawings blue\$print) with (model type product device) with (part section view) not (equipment with maintenance with database with (drawing blue\$print))	USPAT; US-PGPUB; EPO; JPO	2004/05/27 10:24
	185	search with database with type with name	USPAT; US-PGPUB; EPO; JPO	2004/05/27 10:25
	14	search with database with type with name with (part section area)	USPAT; US-PGPUB; EPO; JPO	2004/05/27 10:42
	105	search with database with (drawing blueprint)	USPAT; US-PGPUB; EPO; JPO	2004/05/27 10:58
	1022	search with part with (number id)	USPAT; EPO; JPO	2004/06/14 16:34
	6	search with part with (number id) with (drawing blue\$print)	USPAT; EPO; JPO	2004/06/14 16:54
	8	search with (drawing blue\$print) same part with (number id)	USPAT; EPO; JPO	2004/06/14 16:55
	2	search with (drawing blue\$print) same part with (number id) not (search with part with (number id) with (drawing blue\$print))	USPAT; EPO; JPO	2004/06/14 16:56
	99	search\$4 with (drawing blue\$print) with part	USPAT; EPO; JPO	2004/06/14 16:56
	14	part with (number id identif\$6 name) same search with (drawing blue\$print)	USPAT; EPO; JPO	2004/06/15 13:19
	753	search with (product model assembly) with (part section area sub\$assembly)	USPAT; EPO; JPO	2004/06/15 13:23
	104	search with (product model assembly) with (part section area sub\$assembly) with (name id identif\$6 type number)	USPAT; EPO; JPO	2004/06/15 13:24
	5	search with (product model assembly) with (part section area sub\$assembly) with (name id identif\$6 type number) with (layout drawing blue\$print)	USPAT; EPO; JPO	2004/06/15 13:27
	7	search with (product model assembly) with (part section area sub\$assembly) with (name id identif\$6 type number) with (layout drawing blue\$print)	USPAT; US-PGPUB; EPO; JPO	2004/06/15 13:43
	7	computer with maintenance same part with search\$4	USPAT; EPO; JPO	2004/06/15 14:46
	9	search same drawing same part same maintenance	USPAT; US-PGPUB; EPO; JPO	2004/06/15 14:04
	41	index with search same (drawing blue\$print)	USPAT; EPO; JPO	2004/06/15 16:05
	92	search\$4 with drawing with number	USPAT; EPO; JPO	2004/06/15 16:05
	146	search\$4 with drawing with number	USPAT; US-PGPUB; EPO; JPO	2004/06/15 16:06
	35	search\$4 with drawing with number same (part subsection subassembly section)	USPAT; US-PGPUB; EPO; JPO	2004/06/15 16:08
	143	(schematic drawing) with search with (assembly part section piece item feature sub\$assembly)	USPAT; EPO	2004/06/16 10:54
	24	(schematic drawing) with search with (assembly part section piece item feature sub\$assembly) and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls.)	USPAT; EPO	2004/06/16 11:54
	39	(schematic drawing) with search with (assembly part section piece item feature sub\$assembly) and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls. 345/\$.ccls.)	USPAT; EPO	2004/06/16 11:54
	37	(schematic drawing) with search with (assembly part section piece item feature sub\$assembly) and (707/\$.ccls. 705/\$.ccls. 345/\$.ccls.)	USPAT; EPO	2004/06/16 11:58
	38	(schematic drawing) with search with (assembly part section piece item feature model sub\$assembly) and (707/\$.ccls. 705/\$.ccls. 345/\$.ccls.)	USPAT; EPO	2004/06/16 12:58

	40	((schematic drawing) with search with (assembly part section piece item feature model sub\$assembly) and (707/\$.ccls. 705/\$.ccls. 345/\$.ccls.)) ((schematic drawing) with search with (assembly part section piece item feature sub\$assembly) and (707/\$.ccls. 705/\$.ccls. 709/\$.ccls. 345/\$.ccls.)) (("6397212") or ("6622149")).PN.	USPAT; EPO	2004/06/16 15:20
	2		USPAT; EPO; JPO	2004/06/16 15:20
	7	("4862376" "4891785" "5033014" "5625798" "5740425" "5864482" "6088625").PN.	USPAT	2004/06/16 15:20
	0	6622149.URPN.	USPAT	2004/06/16 15:49
	4	6397212.URPN.	USPAT	2004/06/16 15:50
	21	("4799156" "4930011" "4992940" "5260778" "5446891" "5446919" "5504675" "5515098" "5636346" "5664115" "5694546" "5699526" "5757917" "5758328" "5794210" "5796395" "5799157" "5799284" "5812134" "5848396" "6260192").PN.	USPAT	2004/06/16 15:53